

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Confirmation No: 2229

Otto Gossweiler

Attorney Docket No: 024911-00004

Serial Number: 10/658,458

Group Art Unit: 3743

Filed: September 10, 2003

Examiner: Nihir B. PATEL

For: CHANGEOVER VALVE AND DUAL AIR SUPPLY BREATHING APPARATUS

PETITION FOR EXTENSION OF TIME

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Date: July 19, 2005

Sir:

Applicant petitions for an extension of time for one month for response to the outstanding Office Action dated January 25, 2005. Applicant notes a Response to the January 25, 2005 Office Action was timely filed within two months of the date of the final Office Action, i.e., March 23, 2005. The Advisory Action dated July 12, 2005 states in paragraph 1(b) on page 2 that the period for reply expires on the later of either the mailing date of the Advisory Action or the date of the final rejection if a reply was filed within two months of the January 25, 2005 final Office Action. Accordingly, attached is our check in the amount of \$455.00 to include the Request for Continued Examination and one month extension of time fees.


The Commissioner is hereby authorized to charge any fee deficiency or credit any overpayment associated with this communication to Deposit Account No. 01-2300, referencing Docket No. 024911-00004.

Respectfully submitted,

07/20/2005 SZEWDIE1 00000024 10658458

02 FC:2251

60.00 QP


Murali Ozgu
Registration No. 44,275

Customer No. 004372
ARENT FOX PLLC
1050 Connecticut Avenue, N.W., Suite 400
Washington, D.C. 20036-5339
Tel: (202) 857-6000
Fax: (202) 638-4810
MO:elp
275111_1.DOC